



PREFEITURA MUNICIPAL DE UMUARAMA
ESTADO DO PARANÁ



PORTARIA Nº 1422/2009

Constitui Comissão Especial.

O PREFEITO MUNICIPAL DE UMUARAMA, ESTADO DO PARANÁ, no uso de suas atribuições legais,

CONSIDERANDO o disposto no art. 99, da Lei Orgânica Municipal,

R E S O L V E:

Art. 1º. Fica constituída comissão especial para reavaliação dos bens móveis e imóveis de propriedade da Prefeitura Municipal de Umuarama, composta pelos seguintes membros:

Ademir Meneguetti,
Alquimedes Fabro Mota,
Carlos Simões Garrido Junior
Claudemir de Oliveira Martins
Cláudio Belo da Cruz
Elizabeth Rodrigues da Silva,
Eliana de Lima Beraldo,
Fabiano Neves,
Gisely Medina,
Ivan Ruiz Belice,
Janete Tereza Dal Pra Grego,
Jordina de Godoy Amatuzy,
Juliana Romero Cardoso Bastos,
Luciano Eugenio Schiavon,
Maria Eliza Domiciano Neves,
Pedro Thiago Fenato,
Luzia Reginato Demenciano,
Antonio Carlos Lavagnini,
Maria Olga Barboza de Souza.

Art. 2º. A comissão deverá apresentar o Relatório Final de Inventário à Secretaria de Administração do Município.

Art. 3º. Esta Portaria entra em vigor na data de sua publicação.

PAÇO MUNICIPAL, aos 18 de dezembro de 2009

MOACIR SILVA
Prefeito Municipal

ARMANDO CORDTS FILHO
Secretário de Administração

APR 23 1968

the 1990s, the number of people in the United States who are 65 years of age or older is projected to increase from 20 million to 30 million, and the number of people 75 years of age or older is projected to increase from 10 million to 15 million (U.S. Census Bureau, 1996).

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Whistler (1973). The total chlorophyll content was determined by the method of Arar and Cook (1980). The carotenoid content was determined by the method of Lichtenthaler and Whistler (1973). The total carotenoid content was determined by the method of Arar and Cook (1980). The total protein content was determined by the method of Lowry et al. (1951). The total lipid content was determined by the method of Bligh and Dyer (1959). The total carbohydrate content was determined by the method of Dubois and Gilles (1950). The total nucleic acid content was determined by the method of Burton (1956). The total ash content was determined by the method of AOAC (1990). The total moisture content was determined by the method of AOAC (1990). The total dry matter content was determined by the method of AOAC (1990). The total organic acid content was determined by the method of AOAC (1990). The total alkaloid content was determined by the method of AOAC (1990). The total flavonoid content was determined by the method of AOAC (1990). The total phenolic content was determined by the method of AOAC (1990). The total tannin content was determined by the method of AOAC (1990). The total saponin content was determined by the method of AOAC (1990). The total sterol content was determined by the method of AOAC (1990). The total glycoside content was determined by the method of AOAC (1990). The total alkaloid content was determined by the method of AOAC (1990). The total flavonoid content was determined by the method of AOAC (1990). The total phenolic content was determined by the method of AOAC (1990). The total tannin content was determined by the method of AOAC (1990). The total saponin content was determined by the method of AOAC (1990). The total sterol content was determined by the method of AOAC (1990). The total glycoside content was determined by the method of AOAC (1990).

...and the fact that the ...

[illegible]

DECLASSIFIED BY: 6032 PMP/KSP/STP/JEP/STP DATE: 09-08-2017

PUBLICADO NO JORNAL CARAVANA ILUSTRADO

DE 22 / Dezembro / 2009

DE N.º 8762

UMUARAMA, 22 / 12 / 2009

69%

DIVISÃO DE SERVIÇOS/GERAIS E PATRIMÔNIO